

AD-A042 911

ROCKWELL INTERNATIONAL THOUSAND OAKS CALIF SCIENCE --ETC F/G 7/2
ESR EVIDENCE FOR THE FORMATION OF THE NF(3+) RADICAL CATION AS --ETC(U)
JUN 77 K O CHRISTE, I B GOLDBERG
SC549.23TR
N00014-73-C-0325
NL

UNCLASSIFIED

| OF |
AD
A042 911



END
DATE
FILMED
9 -77
DDC



12
B.S.

24

SC549.23TR

June 10, 1977

ESR Evidence for the Formation of the NF_3^+ Radical
Cation as an Intermediate in the Syntheses of
 NF_4^+ Salts by Low Temperature UV-Photolysis

Technical Report No. 9

Covering the Period Feb. 1, 1977 to June 30, 1977

Contract No. N00014-73-C-0325


Task No. NR051-553

AD A 042911

Prepared for
Office of Naval Research
Arlington, VA 22217

by

Karl O. Christe
Ira B. Goldberg



Reproduction in whole or in part is permitted
for any purpose of the United States government

Approved for public release; distribution unlimited

AD No. _____
DDC FILE COPY

ACCESSION for	
THIS	Write Section <input checked="" type="checkbox"/>
DDC	Brief Section <input type="checkbox"/>
UNANNOUNCED	
CLASSIFICATION	
BY	
DISTRIBUTION/AVAILABILITY CODES	
1. 2. 3. 4. 5. 6. 7. 8. 9. 10.	SP. CIAL.

A



Rockwell International
Science Center

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) ESR Evidence for the Formation of the NF_3^+ Radical Cation as an Intermediate in the Syntheses of NF_4^+ Salts by Low Temperature UV-Photolysis.		5. TYPE OF REPORT & PERIOD COVERED Technical Report 2/1/77 to 6/30/77
7. AUTHOR(s) Karl O. Christe and Ira B. Goldberg		6. PERFORMING ORG. REPORT NUMBER SC549.23 TR
9. PERFORMING ORGANIZATION NAME AND ADDRESS Science Center Rockwell International Thousand Oaks, CA 91360		8. CONTRACT OR GRANT NUMBER(s) N00014-73-C-0325
11. CONTROLLING OFFICE NAME AND ADDRESS Materials Sciences Division Office of Naval Research Pasadena CA 91106		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS NR 051-553
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) Office of Naval Research, Branch Office 1030 East Green Street Pasadena, CA 91106		12. REPORT DATE June 10, 1977
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited		13. NUMBER OF PAGES 8
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) 1 Feb - 30 Jun 77		15. SECURITY CLASS. (of this report) Unclassified
18. SUPPLEMENTARY NOTES To be submitted to Inorganic Chemistry		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Perfluoroammonium Cation NF_4^+ BF_4^- Electron Spin Resonance NF_4^+ AsF_6^- Photolysis		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The NF_3^+ radical cation was detected in large concentrations by uv photolysis of mixtures of NF_3 , F_2 and BF_3 , and NF_3 , F_2 , and AsF_6 . No signal was detected in the absence of NF_3 . The results suggest that the NF_3^+ radical cation is an important intermediate in the formation of NF_4^+ salts; the initial step in UV activation of F_2 ; Chain reaction mechanisms do not contribute significantly to the reaction.		


DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

389 949



Contribution from Rocketdyne, A Division of
 Rockwell International, Canoga Park, California 91304,
 and from the Science Center, Rockwell International,
 Thousand Oaks, California 91360


ESR Evidence for the Formation of the NF_3^+ Radical Cation as an
 Intermediate in the Syntheses of NF_4^+ Salts by Low-Temperature

UV-Photolysis




Karl O. Christe* and Ira B. Goldberg

Received

The mechanism of the formation of NF_4^+ salts is of significant practical and theoretical interest. From a practical point of view, a better understanding of this mechanism would permit optimization of the reaction conditions for the direct syntheses of NF_4^+ salts, such as NF_4BF_4 , NF_4PF_6 , or NF_4GeF_5 .¹ From a theoretical point of view, the formation of the NF_4^+ cation is intriguing² because its parent molecule, NF_5 , does not exist as a stable species. Since under the conditions used for most of the syntheses of NF_4^+ salts an F^+ cation should be extremely difficult, if not impossible, to prepare by chemical means, the following mechanism has previously been proposed² for the formation of NF_4AsF_6 :



-2-



In good agreement with the known experimental facts,² this mechanism requires only a moderate activation energy ($D^{\circ}(F_2) = 36.8 \text{ kcal mol}^{-1}$)³. The two critical intermediates are the AsF_6^{\bullet} radical and the $\dot{N}F_3^+$ radical cation. Whereas the AsF_6^{\bullet} radical is unknown, the $\dot{N}F_3^+$ radical cation was shown⁴ to form during γ -irradiation of NF_4^+ salts at -196° . Although this observation of the $\dot{N}F_3^+$ cation demonstrated its possible existence at low temperature, it remained to be shown that the $\dot{N}F_3^+$ radical cation is indeed formed as an intermediate in the syntheses of NF_4^+ salts. We have now succeeded in experimentally observing the $\dot{N}F_3^+$ radical cation by esr spectroscopy as an intermediate in the low-temperature uv-photolyses of both the NF_3 - F_2 - AsF_5 and the NF_3 - F_2 - BF_3 system. The results and implications derived from the observations are given in this paper.

Experimental Section

Binary and ternary mixtures of the starting materials were prepared for both the NF_3 - F_2 - BF_3 and the NF_3 - F_2 - AsF_5 systems in a stainless steel Teflon FEP vacuum system. The sample tubes consisted of flamed out quartz tubes of 4 mm o.d., 30 cm long, with a ballast volume of about 150 ml attached at the top. The starting materials were condensed into these tubes at -210° and the tubes were flame sealed. The NF_3 (Rocketdyne) was used without further purification, F_2 (Rocketdyne) was passed through a NaF scrubber for HF removal, and BF_3 (Matheson) and AsF_5 (Ozark Mahoning) were purified by

-3-

fractional condensation prior to use. About 300 cc of gas mixture was used for each sample tube in the following mol ratios, $\text{NF}_3:\text{F}_2 = 1:10$; $\text{BF}_3:\text{F}_2 = 1:10$; $\text{AsF}_5:\text{F}_2 = 1:10$; $\text{NF}_3:\text{BF}_3 = 1:1$; $\text{NF}_3:\text{AsF}_5 = 1:1$; $\text{NF}_3:\text{F}_2:\text{BF}_3 = 1:4:1$ and $1:2:1$; $\text{NF}_3:\text{F}_2:\text{AsF}_5 = 1:4:1$.

The esr spectra were recorded as previously described.^{5,6} Variable temperature control over the temperature range 4-300°K was achieved with an Air Products liquid helium transfer refrigerator Model LTD110. For the photolyses, an Oriel Model 6240 Arc Lamp with a 200 watt Hg lamp was used. In some of the experiments, the starting materials were condensed at -196°C into the tip of the esr tube and were irradiated for 10 to 30 minutes while inserted in a liquid nitrogen filled unsilvered dewar. The esr tube was then quickly transferred to the precooled esr spectrometer. In other experiments, the sample tubes were irradiated at various temperatures inside the esr cavity.

Results and Discussion


Uv-photolysis of both the $\text{NF}_3\text{-F}_2\text{-AsF}_5$ and the $\text{NF}_3\text{-F}_2\text{-BF}_3$ system produced an intensely violet colored species which exhibited the esr signal shown in Figure 1, traces A and B. Comparison with the previously published⁴ anisotropic spectrum of the $\dot{\text{N}}\text{F}_3^+$ cation (trace C, Figure 1) establishes beyond doubt the presence of $\dot{\text{N}}\text{F}_3^+$ in our samples. The spectra are assigned on the basis of anisotropic hyperfine coupling to three fluorine atoms ($I=1/2$) and approximately isotropic hyperfine coupling to one nitrogen atom ($I=1$). The g-matrix is isotropic to within the linewidth. The spectra thus appear as a quartet of triplets as shown in Figure 1. The broader linewidths observed in the spectra of UV irradiated $\text{NF}_3\text{-F}_2\text{-AsF}_5$ and $\text{NF}_3\text{-F}_2\text{-BF}_3$ mixtures than in γ -irradiated

NF_4SbF_6 may be the result of exchange or of dipolar interactions of materials on the surfaces of the solid components of the mixtures.

The observation of identical signals for both the BF_3 and the AsF_5 containing system proves that the signal must be due to a species not containing boron or arsenic. By carrying out intra cavity irradiation experiments at -196°C , it was shown that the signal strength increased during irradiation, but did not decrease when the lamp was turned off. The thermal stability of the signal in the absence of uv radiation depended on the strength of the Lewis acid used. For the stronger Lewis acid AsF_5 , the signal did not change significantly up to about -105°C , whereas for BF_3 decomposition started at about -140°C . When the sample tubes were warmed to ambient temperature, they contained white stable solids which were identified by Raman spectroscopy as NF_4AsF_6 and NF_4BF_4 , respectively.^{1,7,8} Irradiation of all possible binary mixtures, i.e. $\text{NF}_3\text{-F}_2$, Lewis acid -F_2 , and NF_3 - Lewis acid, under comparable conditions did not produce any esr signal attributable to NF_3^+ .

Based on the above results, the following conclusions can be reached concerning the formation mechanism of NF_4^+ salts: (i) The NF_3^+ radical cation is indeed an important intermediate. (ii) The requirement of uv activation and of both F_2 and a Lewis acid for the synthesis of NF_3^+ is in excellent agreement with steps (1) and (2) of the above given mechanism. (iii) The strength of the Lewis acid determines the thermal stability and lifetime of the intermediate NF_3^+ salt formed. This can account for the low temperature conditions required for the synthesis of the NF_4^+ salts of weaker Lewis acids. (iv) In the absence of uv irradiation, the NF_3^+ salts do not sponta-

neously react with the large excess of liquid F_2 present. This indicates that in the absence of an activation energy source the thermodynamically feasible² chain propagation step $\dot{N}F_3^+AsF_6^- + F_2 \longrightarrow NF_4^+AsF_6^- + F^\cdot$ does not play an important role. Possibly, the conversion of $\dot{N}F_3^+AsF_6^-$ to $NF_4^+AsF_6^-$ may require F^\cdot atoms according to:



Since the intermediate $\dot{N}F_3^+$ salt is an ionic solid, its reaction with a fluorine atom might well be a heterogeneous diffusion controlled reaction and step (5) might be the rate determining step in the above mechanism. It was shown that at temperatures above $-196^\circ C$, where a given NF_3^+ salt is still stable in the absence of light, uv irradiation causes a rapid decay of the $\dot{N}F_3^+$ esr signal. However, it was not possible to distinguish whether this decay was caused by photodecomposition of the intermediate $\dot{N}F_3^+$ salt or by the reaction of the latter with the generated F atoms according to step (5).




Acknowledgement. We are grateful to Mr. R. D. Wilson for experimental help and to Drs. L. R. Grant, C. J. Schack, and W. Wilson for helpful discussions. This work was financially supported by the Chemistry and Power programs of the Office of Naval Research and by the U. S. Army Research Office.

References

1. K. O. Christe, C. J. Schack, and R. D. Wilson, *Inorg. Chem.*, 15, 1275 (1976).
2. K. O. Christe, R. D. Wilson, and A. E. Axworthy, *Inorg. Chem.*, 12, 2478 (1973).
3. J. Berkowitz and A. C. Wahl, *Adv. Fluor. Chem.*, 7, 147 (1973).
4. S. P. Mishra, M.C.R. Symons, K. O. Christe, R. D. Wilson, and R. I. Wagner, *Inorg. Chem.*, 14, 1103 (1975).
5. I. B. Goldberg, K. O. Christe, and R. D. Wilson, *Inorg. Chem.*, 14, 152 (1975).
6. I. B. Goldberg, R. S. Carpenter, and H. R. Crowe, *J. Magn. Reson.*, 18, 84 (1975).
7. K. O. Christe and D. Pilipovich, *Inorg. Chem.*, 10, 2803 (1971).
8. C. T. Goetschel, V. A. Campanile, R. M. Curtis, K. R. Loos, D. C. Wagner, and J. N. Wilson, *Inorg. Chem.*, 11, 1696 (1972).

Figure Caption

Figure 1. ESR spectra of the $\dot{\text{N}}\text{F}_3^+$ radical cation obtained by uv photolysis of $\text{NF}_3 - \text{F}_2 - \text{BF}_3$ at -196°C ; trace A, first derivative; trace B, second derivative. For comparison, the known⁴ first derivative spectrum of $\dot{\text{N}}\text{F}_3^+$ obtained by γ -irradiation of polycrystalline NF_4SbF_6 at -196°C is given as trace C.



TECHNICAL REPORT DISTRIBUTION LIST

<u>No. Copies</u>	<u>No. Copies</u>
Dr. M. B. Denton University of Arizona Department of Chemistry Tucson, Arizona 85721 1	Dr. Fred Saalfeld Naval Research Laboratory Code 6110 Washington, D.C. 20375 1
Dr. G. S. Wilson University of Arizona Department of Chemistry Tucson, Arizona 85721 1	Dr. H. Chernoff Massachusetts Institute of Technology Department of Mathematics Cambridge, Massachusetts 02139 1
Dr. R. A. Osteryoung Colorado State University Department of Chemistry Fort Collins, Colorado 80521 1	Dr. K. Wilson University of California, San Diego Department of Chemistry La Jolla, California 92037 1
Dr. B. R. Kowalski University of Washington Department of Chemistry Seattle, Washington 98105 1	Dr. A. Zirino Naval Undersea Center San Diego, California 92132 1
Dr. I. B. Goldberg North American Rockwell Science Center P.O. Box 1385 1049 Camino Del Rio Thousand Oaks, California 91360 1	Dr. John Duffin United States Naval Post Graduate School Monterey, California 93940 1
Dr. S. P. Perone Purdue University Department of Chemistry Lafayette, Indiana 47907 1	Dr. G. M. Hieftje Department of Chemistry Indiana University Bloomington, Indiana 47401 1
Dr. E. E. Wells Naval Research Laboratory Code 6160 Washington, D.C. 20375 1	Dr. Victor L. Rehn Naval Weapons Center Code China Lake, California 93555 1
Dr. D. L. Venezky Naval Research Laboratory Code 6130 Washington, D.C. 20375 1	
Dr. H. Freiser University of Arizona Department of Chemistry Tucson, Arizona 85721 1	

TECHNICAL REPORT DISTRIBUTION LISTNo. CopiesNo. Copies

Office of Naval Research
Arlington, Virginia 22217
Attn: Code 472

2

Defense Documentation Center
Building 5, Cameron Station
Alexandria, Virginia 22314

12

Office of Naval Research
Arlington, Virginia 22217
Attn: Code 102IP

6

U.S. Army Research Office
P.O. Box 12211
Research Triangle Park, North Carolina 27709
Attn: CRD-AA-IP

1

ONR Branch Office
536 S. Clark Street
Chicago, Illinois 60605
Attn: Dr. George Sandoz

1

Commander
Naval Undersea Research & Development
Center
San Diego, California 92132
Attn: Technical Library, Code 133

1

ONR Branch Office
715 Broadway
New York, New York 10003
Attn: Scientific Dept.

1

Naval Weapons Center
China Lake, California 93555
Attn: Head, Chemistry Division

1

ONR Branch Office
1030 East Green Street
Pasadena, California 91106
Attn: Dr. R. J. Marcus

1

Naval Civil Engineering Laboratory
Port Hueneme, California 93041
Attn: Mr. W. S. Haynes

1

Office of Naval Research
San Francisco Area Office
One Hallidie Plaza - Suite 601
San Francisco, CA 94102
Attn: Dr. P. A. Miller

1

Professor O. Heinz
Department of Physics & Chemistry
Naval Postgraduate School
Monterey, California 93940

1

ONR Branch Office
495 Summer Street
Boston, Massachusetts 02210
Attn: Dr. L. H. Peebles

1

Dr. A. L. Slafkosky
Scientific Advisor
Commandant of the Marine Corps (Code RD-1)
Washington, D.C. 20380

1

Director, Naval Research Laboratory
Washington, D.C. 20390
Attn: Library, Code 2029 (ONRL) 6
Technical Info. Div. 1
Code 6100, 6170 1

The Asst. Secretary of the Navy (R&D)
Department of the Navy
Room 4E736, Pentagon
Washington, D.C. 20350 1

Commander, Naval Air Systems Command
Department of the Navy
Washington, D.C. 20360
Attn: Code 310C (H. Rosenwasser) 1

TECHNICAL REPORT DISTRIBUTION LIST

	<u>No. Copies</u>		<u>No. Copies</u>
Dr. M. B. Denton University of Arizona Department of Chemistry Tucson, Arizona 85721	1	Dr. Fred Saalfeld Naval Research Laboratory Code 6110 Washington, D.C. 20375	1
Dr. G. S. Wilson University of Arizona Department of Chemistry Tucson, Arizona 85721	1	Dr. H. Chernoff Massachusetts Institute of Technology Department of Mathematics Cambridge, Massachusetts 02139	1
Dr. R. A. Osteryoung Colorado State University Department of Chemistry Fort Collins, Colorado 80521	1	Dr. K. Wilson University of California, San Diego Department of Chemistry La Jolla, California 92037	1
Dr. B. R. Kowalski University of Washington Department of Chemistry Seattle, Washington 98105	1	Dr. A. Zirino Naval Undersea Center San Diego, California 92132	1
Dr. I. B. Goldberg North American Rockwell Science Center P.O. Box 1085 1049 Camino Dos Rios Thousand Oaks, California 91360	1	Dr. John Duffin United States Naval Post Graduate School Monterey, California 93940	1
Dr. S. P. Perone Purdue University Department of Chemistry Lafayette, Indiana 47907	1	Dr. G. M. Hieftje Department of Chemistry Indiana University Bloomington, Indiana 47401	1
Dr. E. E. Wells Naval Research Laboratory Code 6160 Washington, D.C. 20375	1	Dr. Victor L. Rehn Naval Weapons Center Code China Lake, California 93555	1
Dr. D. L. Venezky Naval Research Laboratory Code 6130 Washington, D.C. 20375	1		
Dr. H. Freiser University of Arizona Department of Chemistry Tucson, Arizona 85721	1		

TECHNICAL REPORT DISTRIBUTION LIST

	<u>No. Copies</u>		<u>No. Copies</u>
✓ Office of Naval Research Arlington, Virginia 22217 Attn: Code 472	2	/Defense Documentation Center Building 5, Cameron Station Alexandria, Virginia 22314	12
Office of Naval Research Arlington, Virginia 22217 Attn: Code 102IP	6	U.S. Army Research Office P.O. Box 12211 Research Triangle Park, North Carolina 27709 Attn: CRD-AA-IP	1
ONR Branch Office 536 S. Clark Street Chicago, Illinois 60605 Attn: Dr. George Sandoz	1	Commander Naval Undersea Research & Development Center San Diego, California 92132 Attn: Technical Library, Code 133	1
ONR Branch Office 715 Broadway New York, New York 10003 Attn: Scientific Dept.	1	Naval Weapons Center China Lake, California 93555 Attn: Head, Chemistry Division	1
ONR Branch Office 1030 East Green Street Pasadena, California 91106 Attn: Dr. R. J. Marcus Office of Naval Research San Francisco Area Office One Hallidie Plaza - Suite 601 San Francisco, CA 94102 Attn: Dr. P. A. Miller	1	Naval Civil Engineering Laboratory Port Hueneme, California 93041 Attn: Mr. W. S. Haynes	1
ONR Branch Office 495 Summer Street Boston, Massachusetts 02210 Attn: Dr. L. H. Peebles	1	Professor O. Heinz Department of Physics & Chemistry Naval Postgraduate School Monterey, California 93940	1
Director, Naval Research Laboratory Washington, D.C. 20390 Attn: Library, Code 2029 (ONRL) Technical Info. Div. Code 6100, 6170	6 1 1	Dr. A. L. Slafkosky Scientific Advisor Commandant of the Marine Corps (Code RD-1) Washington, D.C. 20380	1
The Asst. Secretary of the Navy (R&D) Department of the Navy Room 4E736, Pentagon Washington, D.C. 20350	1		
Commander, Naval Air Systems Command Department of the Navy Washington, D.C. 20360 Attn: Code 310C (H. Rosenwasser)	1		